Contents

Volume 100 1991

Commentaries

Jackson, M. E.
Negative regulation of eukaryotic transcription 1

Harrison, F. L.
Soluble vertebrate lectins: ubiquitous but inscrutable proteins 9

Heslop-Harrison, J. S.
The molecular cytogenetics of plants 15

Svoboda, K. K. H.
Intracellular localization of types I and II collagen mRNA and endoplasmic reticulum in embryonic corneal epithelia 23

Watanabe, M., Furuno, N., Goebl, M., Go, M., Miyauchi, K., Sekiguchi, T., Basilico, C. and Nishimoto, T.
Molecular cloning of the human gene, CCG2, that complements the BHK-derived temperature-sensitive cell cycle mutant tsBN63: identity of CCG2 with the human X chromosomal SCAR/RPS4X gene 35

Glas-Albrecht, R., Kaesberg, B., Knoll, G., Allmann, K., Pape, R. and Plattner, H.
Synchronised secretory organelle docking in *Paramecium*. Saltatory movement along microtubules transiently formed from ciliary basal bodies and selective exclusion of microinjected heterologous organelles 45

Georgieff, I. S., Liem, R. K. H., Mellado, W., Nunez, J. and Shelanski, M. L.
High molecular weight tau: preferential localization in the peripheral nervous system 55

Wang, F.-S. and Bonder, E. M.
Sea urchin egg villin: identification of villin in a non-epithelial cell from an invertebrate species 61

Yonemura, S., Mabuchi, I. and Tsukita, S.
Mass isolation of cleavage furrows from dividing sea urchin eggs 73

Shih, S.-J. and Nelson, D. L.
Multiple families of proteins in the secretory granules of *Paramecium tetraurelia*: immunological characterization and immunocytochemical localization of trichocyst proteins 85

Martin, M. and Medina, F. J.
A *Drosophila* anti-RNA polymerase II antibody recognizes a plant nucleolar antigen, RNA polymerase I, which is mostly localized in fibrillar centres 99

Sato, S., Jones, K., de los Dios Alche, J. and Dickinson, H. G.
Cytoplasmic nucleoloids of *Lilium* male reproductive cells contain rDNA transcripts and share features of development with nucleoli 109

Morales, C. R., Kwon, Y. K. and Hecht, N. B.
Cytoplasmic localization during storage and translation of the mRNAs of transition protein 1 and protamine 1, two translationally regulated transcripts of the mammalian testis 119

Wilson, J. M., Whitney, J. A. and Neutra, M. R.
Biogenesis of the apical endosome–lysosome complex during differentiation of absorptive epithelial cells in rat ileum 133

Stoll, L. L., Yerram, N. R. and Spector, A. A.
Effect of differentiation of platelet-activating factor metabolism in HL-60 cells 145

Kubler, M.-D., Jordan, P. W., O'Neill, C. H. and Watt, F. M.
Changes in the abundance and distribution of actin and associated proteins during terminal differentiation of human epidermal keratinocytes 153

Diss, D. A. G. and Greenstein, B. D.
Insulin receptors on *Xenopus laevis* oocytes: effects of injection of ob/ob mouse liver mRNA 167

Furlong, R. A., Takehara, T., Taylor, W. G., Nakamura, T. and Rubin, J. S.
Comparison of biological and immunochemical properties indicates that scatter factor and hepatocyte growth factor are indistinguishable 173

Luparello, C., Sheterline, P., Pucci-Minafra, I. and Minafra, S.
A comparison of spreading and motility behaviour of 8701-BC breast carcinoma cells on type I, I-trimer and type V collagen substrata: Evidence for a permissive effect of type I-trimer collagen on cell locomotion 179

Pender, N. and McCulloch, C. A. G.
Quantitation of actin polymerization in two human fibroblast sub-types responding to mechanical stretching 187

Steele, J. G., Dalton, B. A., Underwood, P. A. and Smith, G. J.
Differences in adhesion to tissue culture plastic of clonally related transformed and control sublines from an epithelial cell strain 195

Centonze, V. E. and Borisy, G. G.
Pole-to-chromosome movements induced at metaphase: sites of microtubule disassembly 205

Eshel, D., Shingyoji, C., Yoshimura, K., Gibbons, I. R. and Takahashi, K.
Evidence for inequality in the forces that generate principal and reverse bends in sperm flagella 213

Billia, F. and de Boni, U.
Localization of centromeric satellite and telomeric DNA sequences in dorsal root ganglion neurons, *in vitro* 219

Sabanay, I., Arad, T., Weiner, S. and Geiger, B.
Study of vitrified, unstrained frozen tissue sections by cryoimmunoelectron microscopy 227

O'Driscoll, D., Wilson, G. and Steer, M. W.
Lucifer Yellow and fluorescein isothiocyanate uptake by cells of *Morinda citrifolia* in suspension cultures is not confined to the endocytotic pathway 237

Xie, W., He, D., Wang, X., Long, Q. and Zhelong, P.
Lepidopteran cell variants resistant to 5-bromodeoxyuridine and their use for transfection of the HSV-TK gene 243

Commentaries

Daniels, K. and Solursh, M.
Modulation of chondrogenesis by the cytoskeleton and extracellular matrix 249

Jensen, P. K. A. and Bolund, L.
Tissue culture of human epidermal keratinocytes: a differentiating model system for gene testing and somatic gene therapy 255

Swedak, J. A. M. and Forer, A.
Kinetochore function can be altered by ultraviolet microbeam irradiation without loss of the associated birefringent spindle fibre 261

Swedak, J. A. M., Leggiadro, C. and Forer, A.
Electron-microscopic and immunochemical analysis of kinetochore microtubules after ultraviolet microbeam irradiation of kinetochores 269

Aist, J. R., Bayles, C. J., Tao, W. and Berns, M. W.
Direct experimental evidence for the existence, structural basis and function of astral forces during anaphase B *in vivo* 279

Messinger, S. M. and Albertini, D. F.
Centrosome and microtubule dynamics during meiotic progression in the mouse oocyte 289

Andreassen, P. R. and Margolis, R. L.
Induction of partial mitosis in BHK cells by 2-aminopurine 299

Cyr, R. J.
Calcium/calmodulin affects microtubule stability in lysed protoplasts 311

Burgess, S. A., Carter, D. A., Dover, S. D. and Woolley, D. M.
The inner dynein arm complex: compatible images from freeze-etch and thin section methods of microscopy 319

André, P., Gabert, J., Benoliel, A. M., Capo, C., Boyer, C., Schmitt-Verhulst, A. M., Malissen, B. and Bongrand, P.
Wild type and tailless CD8 display similar interaction with microfilaments during capping 329

Klumperman, J., Fransen, J. A. M., Boekestijn, T. C., Elferink, R. P. J. O., Matter, K., Hauri, H.-P., Tager, J. M. and Ginsel, L. A.
Biosynthesis and transport of lysosomal α-glucosidase in the human colon carcinoma cell line Caco-2: secretion from the apical surface 339

Geimer, P. and Bade, E. G.
The epidermal growth factor-induced migration of rat liver epithelial cells is associated with a transient inhibition of DNA synthesis 349

Gibson, F. P., Schofield, T. and Hames, B. D.
SPIF regulates spore coat protein synthesis by *Dictyostelium discoideum* at the translational level 357

Tong, J., Carre, I. A. and Edmunds, L. N., Jr
Circadian rhythmicity in the activities of adenylate cyclase and phosphodiesterase in synchronously dividing and stationary-phase cultures of the achlorophyllous ZC mutant of *Euglena gracilis* 365

Tucker, G. C., Boyer, B., Valles, A. M. and Thiery, J. P.
Combined effects of extracellular matrix and growth factors on NBT-II rat bladder carcinoma cell dispersion 371

Salamonsen, L. A., Nagase, H. and Woolley, D. E.
Production of matrix metalloproteinase 3 (stromelysin) by cultured ovine endometrial cells 381

Tsukahara, T., Okamura, M., Suzuki, S., Iwata, H., Miura, T. and Kimata, K.
Enhanced expression of fibronectin by cmd/cmd chondrocytes and its modulation by exogenously added proteoglycan 387

Domozych, D. S., Wells, B. and Shaw, P. J.
Basket scales of the green alga, *Mesostigma viride*: chemistry and ultrastucture 397

Commentary

Clarke, P. R. and Karsenti, E.
Regulation of $p34^{cdc2}$ protein kinase: new insights into protein phosphorylation and the cell cycle 409

Saraste, J. and Svensson, K.
Distribution of the intermediate elements operating in ER to Golgi transport 415

Zheng, Q. and Chang, D. C.
Reorganization of cytoplasmic structures during cell fusion 431

Bou-Gharios, G., Moss, J., Partridge, T., Abraham, D. and Olsen, I.
Contact-dependent transfer of a lysosomal enzyme from lymphocytes to fibroblasts 443

Gilbert, T. and Rodriguez-Boulan, E.
Induction of vacuolar apical compartments in the Caco-2 intestinal epithelial cell line 451

Dundas, S. R., Ormerod, M. G., Gusterson, B. A. and O'Hare, M. J.
Characterization of luminal and basal cells flow-sorted from the adult rat mammary parenchyma 459

McKay, D. A., Kusel, J. R. and Wilkinson, P. C.
Studies of chemotactic factor-induced polarity in human neutrophils. Lipid mobility, receptor distribution and the time-sequence of polarization 473

Haugwitz, M., Noegel, A. A., Rieger, D., Lottspeich, F. and Schleicher, M.
Dictyostelium discoideum contains two profilin isoforms that differ in structure and function 481

Rijken, P. J., Hage, W. J., van Bergen en Henegouwen, P. M. P., Verkleij, A. J. and Boonstra, J.
Epidermal growth factor induces rapid reorganization of the actin microfilament system in human A431 cells 491

Harrison, A., Stebbings, H. and Hyams, J. S.
Different patterns of α-tubulin post-translational modification in ovarian nutritive tubes of two hemipteran insects 501

Salles-Passador, I., Moisand, A., Planques, V. and Wright, M.
Physarum plasmodia do contain cytoplasmic microtubules! 509

Stephens, R. E.
Tubulin in sea urchin embryonic cilia: characterization of the membrane-periaxonemal matrix 521

Maekawa, T. and Kuriyama, R.
Differential pathways of recruitment for centrosomal antigens to the mitotic poles during bipolar spindle formation 533

Stracke, S. and Martin, R.
Postmitotic reassembly of the cell nucleus in whole cells: an electron-spectroscopic study 541

Mineyuki, Y., Murata, T. and Wada, M.
Experimental obliteration of the preprophase band alters the site of cell division, cell plate orientation and phragmoplast expansion in *Adiantum* protonemata 551

Brown, R. C. and Lemmon, B. E.
Pollen development in orchids. 5. A generative cell domain involved in spatial control of the hemispherical cell plate 559

Rahman, S. and Evans, W. H.
Topography of connexin32 in rat liver gap junctions. Evidence for an intramolecular disulphide linkage connecting the two extracellular peptide loops 567

Feltkamp, C. A., Pijnenburg, M. A. P. and Roos, E.
Organization of talin and vinculin in adhesion plaques of wet-cleaved chicken embryo fibroblasts 579

Peter, M. and Nigg, E. A.
Ectopic expression of an A-type lamin does not interfere with differentiation of lamin A-negative embryonal carcinoma cells 589

Stamatoglou, S. C., Manson, M. M., Green, J. A., Mayol, X. and Hughes, R. C.
Distribution of fibronectin and fibronectin-binding proteins, AGp110 and integrin $\alpha_5\beta_1$, during chemically induced hepatocarcinogenesis in adult rats 599

Dzamba, B. J. and Pesciotta Peters, D. M.
Arrangement of cellular fibronectin in noncollagenous fibrils in human fibroblast cultures 605

Persidis, A., Lay, J. G., Manousis, T., Bishop, A. H. and Ellar, D. J.
Characterisation of potential adhesins of the bacterium *Pasteuria penetrans*, and of putative receptors on the cuticle of *Meloidogyne incognita*, a nematode host 613

Cameron, D. F. and Muffly, K. E.
Hormonal regulation of spermatid binding 623

Usuki, T. and Hino, A.
Changes in relative concentrations of the hemoglobin components in *Paramecium* caused by cell growth and temperature of the culture 635

Ann, D. K., Wechsler, A., Lin, H. H. and Wang, E.
Isoproterenol downregulation of statin-related gene expression in the rat parotid gland 641

Colige, A., Nusgens, B. and Lapiere, Ch. M.
Altered response of progeria fibroblasts to epidermal growth factor 649

Grunt, T. W., Somay, C., Pavelka, M., Ellinger, A., Dittrich, E. and Dittrich, Ch.
The effects of dimethyl sulfoxide and retinoic acid on the cell growth and the phenotype of ovarian cancer cells 657

De la Torre, C., Gimenez-Abian, J. F. and Gonzalez-Fernandez, A.
Dominance of a NOR (nucleolar organizer region) over its allele and over its sister NOR after asymmetric 5-azacytidine substitution in plant chromosomes 667

Bhaud, Y., Salmon, J.-M. and Soyer-Gobillard, M.-O.
The complex cell cycle of the dinoflagellate protoctist *Crypthecodinium cohnii* as studied *in vivo* and by cytofluorimetry 675

Commentaries

Pears, C. J. and Parker, P. J.
Domain interactions in protein kinase C 683

Hoeijmakers, J. H. J.
How relevant is the *Escherichia coli* UvrABC model for excision repair in eukaryotes? 687

Peck, R. K., Duborgel, F., Huttenlauch, I. and de Haller, G.
The membrane skeleton of *Pseudomicrothorax* I. Isolation, structure and composition 693

Huttenlauch, I. and Peck, R. K.
The membrane skeleton of *Pseudomicrothorax* II. Biochemical and immunological characterization of the glycosylated cytoskeletal proteins 707

Schopfer, C. R. and Hepler, P. K.
Distribution of membranes and the cytoskeleton during cell plate formation in pollen mother cells of *Tradescantia* 717

Yamaguchi, M., Date, T. and Matsukage, A.
Distribution of PCNA in *Drosophila* embryo during nuclear division cycles 729

Hyde, G. J., Lancelle, S., Hepler, P. K. and Hardham, A. R.
Freeze substitution reveals a new model for sporangial cleavage in *Phytophthora*, a result with implications for cytokinesis in other eukaryotes 735

Chandra, S., Kable, E. P. W., Morrison, G. H. and Webb, W. W.
Calcium sequestration in the Golgi apparatus of cultured mammalian cells revealed by laser scanning confocal microscopy and ion microscopy 747

Lucocq, J., Warren, G. and Pryde, J.
Okadaic acid induces Golgi apparatus fragmentation and arrest of intracellular transport 753

Green, D. P. L.
The effect of permeant and impermeant osmoticants on exocytosis in guinea pig sperm 761

Sanders, M. C. and Wang, Y.-L.
Assembly of actin-containing cortex occurs at distal regions of growing neurites in PC12 cells 771

Gutzeit, H. O., Eberhardt, W. and Gratwohl, E.
Laminin and basement membrane-associated microfilaments in wild-type and mutant *Drosophila* ovarian follicles 781

Keppel, E. and Schaller, H. C.
A 33 kDa protein with sequence homology to the 'laminin binding protein' is associated with the cytoskeleton in hydra and in mammalian cells 789

Höner, B., Shoeman, R. L. and Traub, P.
Human immunodeficiency virus type 1 protease microinjected into cultured human skin fibroblasts cleaves vimentin and affects cytoskeletal and nuclear architecture 799

Trombitás, K., Baatsen, P. H. W. W., Kellermayer, M. S. Z. and Pollack, G. H.
Nature and origin of gap filaments in striated muscle 809

Dey, C. S. and Brokaw, C. J.
Activation of *Ciona* sperm motility: phosphorylation of dynein polypeptides and effects of a tyrosine kinase inhibitor 815

Bominaar, A. A., Kesbeke, F., Snaar-Jagalska, B. E., Peters, D. J. M., Schaap, P. and van Haastert, P. J. M.
Abberant chemotaxis and differentiation in *Dictyostelium* mutant *fgdC* with a defective regulation of receptor-stimulated phosphoinositidase C 825

Poli, G., Sorio, C. and Berton, G.
Protein myristoylation in human mononuclear phagocytes: modulation by interferon-γ and tumor necrosis factor-α 833

Batra, S. K., Kern, H. F., Worlock, A. J., Metzgar, R. S. and Hollingsworth, M. A.
Transfection of the human Muc 1 mucin gene into a poorly differentiated human pancreatic tumor cell line, Panc 1: integration, expression and ultrastructural changes 841

Escaig-Haye, F., Grigoriev, V., Peranzi, G., Lestienne, P. and Fournier, J.-G.
Analysis of human mitochondrial transcripts using electron microscopic *in situ* hybridization 851

Bannwarth, H. and de Groot, E. J.
Temporal control of differentiation by the cell nucleus: evidence for a species-specific nuclear suppression of enzymes at the early generative phase in *Acetabularia* 863

Kill, I. R., Bridger, J. M., Campbell, K. H. S., Maldonada-Codina, G. and Hutchison, C. J.
The timing of the formation and usage of replicase clusters in S-phase nuclei of human diploid fibroblasts 869

Schloss, J. A. and Croom, H. B.
Normal *Chlamydomonas* nuclear gene structure on linkage group XIX 877

Squires, S., Ryan, A. J., Strutt, H. L., Smith, P. J. and Johnson, R. T.
Deoxyguanosine enhances the cytotoxicity of the topoisomerase I inhibitor camptothecin by reducing the repair of double-strand breaks induced in replicating DNA 883

Index of Authors 895

Index of Subjects 901